

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: June 1, 2026

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.272

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002461 | \$0.002461 | \$0.000984 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000036) | (\$0.000036) | (\$0.000036) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000040 | \$0.000040 | \$0.000040 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001691</u> | <u>\$0.001691</u> | <u>\$0.000534</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: May 1, 2026

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.271

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002416 | \$0.002416 | \$0.000966 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000036) | (\$0.000036) | (\$0.000036) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000036 | \$0.000036 | \$0.000036 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001687</u> | <u>\$0.001687</u> | <u>\$0.000530</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: April 1, 2026

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.270

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002451 | \$0.002451 | \$0.000981 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000036) | (\$0.000036) | (\$0.000036) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000046 | \$0.000046 | \$0.000046 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001697</u> | <u>\$0.001697</u> | <u>\$0.000540</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: March 1, 2026

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.269

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002432 | \$0.002432 | \$0.000974 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000036) | (\$0.000036) | (\$0.000036) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000062 | \$0.000062 | \$0.000062 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001713</u> | <u>\$0.001713</u> | <u>\$0.000556</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: February 1, 2026

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.268

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002439</u> | <u>\$0.002439</u> | <u>\$0.000975</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000036) | (\$0.000036) | (\$0.000036) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000123 | \$0.000123 | \$0.000123 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001774</u> | <u>\$0.001774</u> | <u>\$0.000617</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

Initial Effective Date: January 1, 2026
 Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002448 | \$0.002448 | \$0.000980 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000037) | (\$0.000037) | (\$0.000037) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000080 | \$0.000080 | \$0.000080 |
| E) System Performance Adjustment | <u>\$0.001157</u> | <u>\$0.001157</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001740</u> | <u>\$0.001740</u> | <u>\$0.000583</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

Initial Effective Date: December 1, 2025
 Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002460 | \$0.002460 | \$0.000984 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000079 | \$0.000079 | \$0.000079 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001294</u> | <u>\$0.001294</u> | <u>\$0.000580</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

Initial Effective Date: November 1, 2025
 Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002437 | \$0.002437 | \$0.000975 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000066 | \$0.000066 | \$0.000066 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001282</u> | <u>\$0.001282</u> | <u>\$0.000568</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President – Regulatory, Rochester, New York

Initial Effective Date: October 1, 2025
 Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002441 | \$0.002441 | \$0.000977 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000043 | \$0.000043 | \$0.000043 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001259</u> | <u>\$0.001259</u> | <u>\$0.000545</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President, Regulatory, Rochester, New York, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: September 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.263

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002438 | \$0.002438 | \$0.000975 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000047 | \$0.000047 | \$0.000047 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001263</u> | <u>\$0.001263</u> | <u>\$0.000549</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President, Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: September 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.262

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002438</u> | <u>\$0.002438</u> | <u>\$0.000975</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000043 | \$0.000043 | \$0.000043 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001259</u> | <u>\$0.001259</u> | <u>\$0.000545</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Lindsey N. Overton Orietas, Vice President, Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: August 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.261

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002435 | \$0.002435 | \$0.000974 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000057 | \$0.000057 | \$0.000057 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001273</u> | <u>\$0.001273</u> | <u>\$0.000559</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Patricia Nilsen, Chief Executive Officer, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: July 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.260

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002453 | \$0.002453 | \$0.000982 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000051 | \$0.000051 | \$0.000051 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001267</u> | <u>\$0.001267</u> | <u>\$0.000553</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: June 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.259

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002445 | \$0.002445 | \$0.000978 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000038) | (\$0.000038) | (\$0.000038) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000057 | \$0.000057 | \$0.000057 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001273</u> | <u>\$0.001273</u> | <u>\$0.000559</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: May 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.258

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002499 | \$0.002499 | \$0.001000 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000055 | \$0.000055 | \$0.000055 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001270</u> | <u>\$0.001270</u> | <u>\$0.000556</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: April 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.257

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002457 | \$0.002457 | \$0.000983 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000076 | \$0.000076 | \$0.000076 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001291</u> | <u>\$0.001291</u> | <u>\$0.000577</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Initial Effective Date: March 1, 2025
 Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002454 | \$0.002454 | \$0.000982 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000065 | \$0.000065 | \$0.000065 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001280</u> | <u>\$0.001280</u> | <u>\$0.000566</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: February 1, 2025

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.255

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002445 | \$0.002445 | \$0.000978 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000050 | \$0.000050 | \$0.000050 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001265</u> | <u>\$0.001265</u> | <u>\$0.000551</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002438 | \$0.002438 | \$0.000975 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000046 | \$0.000046 | \$0.000046 |
| E) System Performance Adjustment | <u>\$0.000714</u> | <u>\$0.000714</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001261</u> | <u>\$0.001261</u> | <u>\$0.000547</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: December 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.253

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002433 | \$0.002433 | \$0.000974 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000045 | \$0.000045 | \$0.000045 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001122</u> | <u>\$0.001122</u> | <u>\$0.000546</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: November 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.252

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002430 | \$0.002430 | \$0.000972 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000039) | (\$0.000039) | (\$0.000039) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000029 | \$0.000029 | \$0.000029 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001106</u> | <u>\$0.001106</u> | <u>\$0.000530</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002421 | \$0.002421 | \$0.000969 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000025 | \$0.000025 | \$0.000025 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001124</u> | <u>\$0.001124</u> | <u>\$0.000548</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers pre 11/1/96</u> | <u>SC#3 customers post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---------------------------------------|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002420 | \$0.002420 | \$0.000968 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000020 | \$0.000020 | \$0.000020 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001119</u> | <u>\$0.001119</u> | <u>\$0.000543</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: August 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR
Statement No.249

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002423</u> | <u>\$0.002423</u> | <u>\$0.000969</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000020 | \$0.000020 | \$0.000020 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001119</u> | <u>\$0.001119</u> | <u>\$0.000543</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: July 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.248

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002424 | \$0.002424 | \$0.000969 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000029 | \$0.000029 | \$0.000029 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001128</u> | <u>\$0.001128</u> | <u>\$0.000552</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: June 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.247

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002416</u> | <u>\$0.002416</u> | <u>\$0.000966</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000024 | \$0.000024 | \$0.000024 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001123</u> | <u>\$0.001123</u> | <u>\$0.000547</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002414</u> | <u>\$0.002414</u> | <u>\$0.000966</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000018 | \$0.000018 | \$0.000018 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001117</u> | <u>\$0.001117</u> | <u>\$0.000541</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002428 | \$0.002428 | \$0.000971 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000019 | \$0.000019 | \$0.000019 |
| E) System Performance Adjustment | \$0.000576 | \$0.000576 | \$0.000000 |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001118</u> | <u>\$0.001118</u> | <u>\$0.000542</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers pre 11/1/96</u> | <u>SC#3 customers post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---------------------------------------|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002429 | \$0.002429 | \$0.000972 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000027 | \$0.000027 | \$0.000027 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001126</u> | <u>\$0.001126</u> | <u>\$0.000550</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002444 | \$0.002444 | \$0.000977 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000031 | \$0.000031 | \$0.000031 |
| E) System Performance Adjustment | <u>\$0.000576</u> | <u>\$0.000576</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001130</u> | <u>\$0.001130</u> | <u>\$0.000554</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: January 1, 2024

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.242

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002432 | \$0.002432 | \$0.000973 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000017) | (\$0.000017) | (\$0.000017) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000030 | \$0.000030 | \$0.000030 |
| E) System Performance Adjustment | \$0.000576 | \$0.000576 | \$0.000000 |
| <u>Total Other Costs (\$/therm at customer meter)</u> | \$0.001129 | \$0.001129 | \$0.000553 |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: December 1, 2023

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.241

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002461 | \$0.002461 | \$0.000984 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000039 | \$0.000039 | \$0.000039 |
| E) System Performance Adjustment | \$0.004356 | \$0.004356 | \$0.000000 |
| <u>Total Other Costs (\$/therm at customer meter)</u> | \$0.004941 | \$0.004941 | \$0.000585 |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

PSC No. 16 Gas

Rochester Gas and Electric Corporation

Initial Effective Date: November 1, 2023

Issued in compliance with order in Case No. 22-G-0320 dated October 12, 2023

LTSR

Statement No.240

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002481 | \$0.002481 | \$0.000992 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000041 | \$0.000041 | \$0.000041 |
| E) System Performance Adjustment | \$0.004356 | \$0.004356 | \$0.000000 |
| <u>Total Other Costs (\$/therm at customer meter)</u> | \$0.004943 | \$0.004943 | \$0.000587 |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002473 | \$0.002473 | \$0.000989 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000020 | \$0.000020 | \$0.000020 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004922</u> | <u>\$0.004922</u> | <u>\$0.000566</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Issued by: Jeremy Euto, Vice President – Regulatory, Rochester, New York

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002474 | \$0.002474 | \$0.000991 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000016 | \$0.000016 | \$0.000016 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004918</u> | <u>\$0.004918</u> | <u>\$0.000562</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002484 | \$0.002484 | \$0.000993 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000018 | \$0.000018 | \$0.000018 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004920</u> | <u>\$0.004920</u> | <u>\$0.000564</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002476 | \$0.002476 | \$0.000991 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000020 | \$0.000020 | \$0.000020 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004922</u> | <u>\$0.004922</u> | <u>\$0.000566</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002441 | \$0.002441 | \$0.000977 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000021 | \$0.000021 | \$0.000021 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004913</u> | <u>\$0.004913</u> | <u>\$0.000557</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002383 | \$0.002383 | \$0.000953 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000024 | \$0.000024 | \$0.000024 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004906</u> | <u>\$0.004906</u> | <u>\$0.000550</u> |

** Balancing charge based on SC #3 customer load because there are no customers currently on Service Class #10.

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002352 | \$0.002352 | \$0.000941 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000032 | \$0.000032 | \$0.000032 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004914</u> | <u>\$0.004914</u> | <u>\$0.000558</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002299 | \$0.002299 | \$0.000920 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000081 | \$0.000081 | \$0.000081 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004963</u> | <u>\$0.004963</u> | <u>\$0.000607</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002328 | \$0.002328 | \$0.000931 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000086 | \$0.000086 | \$0.000086 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004978</u> | <u>\$0.004978</u> | <u>\$0.000622</u> |

PSC No. 16 Gas
Rochester Gas and Electric Corporation
Initial Effective Date: January 1, 2023

LTSR
Statement No.229

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002340 | \$0.002340 | \$0.000936 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000086 | \$0.000086 | \$0.000086 |
| E) System Performance Adjustment | <u>\$0.004356</u> | <u>\$0.004356</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.004978</u> | <u>\$0.004978</u> | <u>\$0.000622</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002845 | \$0.002845 | \$0.001138 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000098 | \$0.000098 | \$0.000098 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001321</u> | <u>\$0.001321</u> | <u>\$0.000637</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002815 | \$0.002815 | \$0.001126 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000073 | \$0.000073 | \$0.000073 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001296</u> | <u>\$0.001296</u> | <u>\$0.000612</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | <u>\$0.002819</u> | <u>\$0.002819</u> | <u>\$0.001128</u> |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000081 | \$0.000081 | \$0.000081 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001304</u> | <u>\$0.001304</u> | <u>\$0.000620</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002822 | \$0.002822 | \$0.001130 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000137 | \$0.000137 | \$0.000137 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001360</u> | <u>\$0.001360</u> | <u>\$0.000676</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002811 | \$0.002811 | \$0.001125 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000134 | \$0.000134 | \$0.000134 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001357</u> | <u>\$0.001357</u> | <u>\$0.000673</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002792 | \$0.002792 | \$0.001117 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000099 | \$0.000099 | \$0.000099 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001332</u> | <u>\$0.001332</u> | <u>\$0.000648</u> |

PSC No. 16 Gas
Rochester Gas and Electric Corporation
Initial Effective Date: June 1, 2022

LTSR
Statement No.222

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002821 | \$0.002821 | \$0.001128 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000141 | \$0.000141 | \$0.000141 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001374</u> | <u>\$0.001374</u> | <u>\$0.000690</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> pre 11/1/96 | <u>SC#3 customers</u> post 11/1/96 | <u>SC#10 Customers**</u> |
|--|--------------------------------------|---------------------------------------|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002838 | \$0.002838 | \$0.001135 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000114 | \$0.000114 | \$0.000114 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001347</u> | <u>\$0.001347</u> | <u>\$0.000663</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002843 | \$0.002843 | \$0.001137 |
| | | | |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000058 | \$0.000058 | \$0.000058 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001301</u> | <u>\$0.001301</u> | <u>\$0.000617</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001633 | \$0.001633 | \$0.000654 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000040 | \$0.000040 | \$0.000040 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001283</u> | <u>\$0.001283</u> | <u>\$0.000599</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001628 | \$0.001628 | \$0.000651 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000049 | \$0.000049 | \$0.000049 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001292</u> | <u>\$0.001292</u> | <u>\$0.000608</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001638 | \$0.001638 | \$0.000655 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000044 | \$0.000044 | \$0.000044 |
| E) System Performance Adjustment | <u>\$0.000684</u> | <u>\$0.000684</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001287</u> | <u>\$0.001287</u> | <u>\$0.000603</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001632 | \$0.001632 | \$0.000653 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000050 | \$0.000050 | \$0.000050 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000292)</u> | <u>(\$0.000292)</u> | <u>\$0.000609</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001638 | \$0.001638 | \$0.000655 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000001) | (\$0.000001) | (\$0.000001) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000054 | \$0.000054 | \$0.000054 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000298)</u> | <u>(\$0.000298)</u> | <u>\$0.000603</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001638 | \$0.001638 | \$0.000655 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000063 | \$0.000063 | \$0.000063 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000291)</u> | <u>(\$0.000291)</u> | <u>\$0.000610</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001632 | \$0.001632 | \$0.000654 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000046 | \$0.000046 | \$0.000046 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000298)</u> | <u>(\$0.000298)</u> | <u>\$0.000603</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001626 | \$0.001626 | \$0.000650 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000041 | \$0.000041 | \$0.000041 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000313)</u> | <u>(\$0.000313)</u> | <u>\$0.000588</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001627 | \$0.001627 | \$0.000650 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000036 | \$0.000036 | \$0.000036 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000318)</u> | <u>(\$0.000318)</u> | <u>\$0.000583</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001627 | \$0.001627 | \$0.000651 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000034 | \$0.000034 | \$0.000034 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000320)</u> | <u>(\$0.000320)</u> | <u>\$0.000581</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001639 | \$0.001639 | \$0.000655 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000034 | \$0.000034 | \$0.000034 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000311)</u> | <u>(\$0.000311)</u> | <u>\$0.000590</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001635 | \$0.001635 | \$0.000654 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000033 | \$0.000033 | \$0.000033 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000311)</u> | <u>(\$0.000311)</u> | <u>\$0.000590</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001631 | \$0.001631 | \$0.000653 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000003) | (\$0.000003) | (\$0.000003) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000036 | \$0.000036 | \$0.000036 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000308)</u> | <u>(\$0.000308)</u> | <u>\$0.000593</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001611 | \$0.001611 | \$0.000645 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000039 | \$0.000039 | \$0.000039 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000316)</u> | <u>(\$0.000316)</u> | <u>\$0.000585</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001589 | \$0.001589 | \$0.000636 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000041 | \$0.000041 | \$0.000041 |
| E) System Performance Adjustment | <u>(\$0.000901)</u> | <u>(\$0.000901)</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>(\$0.000314)</u> | <u>(\$0.000314)</u> | <u>\$0.000587</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001589 | \$0.001589 | \$0.000636 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000039 | \$0.000039 | \$0.000039 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000984</u> | <u>\$0.000984</u> | <u>\$0.000575</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001586 | \$0.001586 | \$0.000635 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000037 | \$0.000037 | \$0.000037 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000982</u> | <u>\$0.000982</u> | <u>\$0.000573</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001581 | \$0.001581 | \$0.000632 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000023 | \$0.000023 | \$0.000023 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000968</u> | <u>\$0.000968</u> | <u>\$0.000559</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001579 | \$0.001579 | \$0.000631 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000024 | \$0.000024 | \$0.000024 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000969</u> | <u>\$0.000969</u> | <u>\$0.000560</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001580 | \$0.001580 | \$0.000632 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000027 | \$0.000027 | \$0.000027 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000972</u> | <u>\$0.000972</u> | <u>\$0.000563</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001567 | \$0.001567 | \$0.000627 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000025 | \$0.000025 | \$0.000025 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000970</u> | <u>\$0.000970</u> | <u>\$0.000561</u> |

Large Transportation Service Rate Adjustment Statement
Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001561 | \$0.001561 | \$0.000625 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000027 | \$0.000027 | \$0.000027 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000962</u> | <u>\$0.000962</u> | <u>\$0.000553</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001534 | \$0.001534 | \$0.000613 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000035 | \$0.000035 | \$0.000035 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000970</u> | <u>\$0.000970</u> | <u>\$0.000561</u> |

Large Transportation Service Rate Adjustment Statement
 Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001542 | \$0.001542 | \$0.000617 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000029 | \$0.000029 | \$0.000029 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000964</u> | <u>\$0.000964</u> | <u>\$0.000555</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001514 | \$0.001514 | \$0.000606 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000046 | \$0.000046 | \$0.000046 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000971</u> | <u>\$0.000971</u> | <u>\$0.000562</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001521 | \$0.001521 | \$0.000609 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000054 | \$0.000054 | \$0.000054 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000979</u> | <u>\$0.000979</u> | <u>\$0.000570</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001513 | \$0.001513 | \$0.000606 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000062 | \$0.000062 | \$0.000062 |
| E) System Performance Adjustment | <u>\$0.000409</u> | <u>\$0.000409</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000987</u> | <u>\$0.000987</u> | <u>\$0.000578</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001503 | \$0.001503 | \$0.000601 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000060 | \$0.000060 | \$0.000060 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001350</u> | <u>\$0.001350</u> | <u>\$0.000576</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001500 | \$0.001500 | \$0.000600 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000057 | \$0.000057 | \$0.000057 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001347</u> | <u>\$0.001347</u> | <u>\$0.000573</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001500 | \$0.001500 | \$0.000600 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000037 | \$0.000037 | \$0.000037 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001327</u> | <u>\$0.001327</u> | <u>\$0.000553</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001490 | \$0.001490 | \$0.000596 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000042 | \$0.000042 | \$0.000042 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001332</u> | <u>\$0.001332</u> | <u>\$0.000558</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001486 | \$0.001486 | \$0.000594 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000510 | \$0.000510 | \$0.000510 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000048 | \$0.000048 | \$0.000048 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001328</u> | <u>\$0.001328</u> | <u>\$0.000554</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001493 | \$0.001493 | \$0.000597 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000510 | \$0.000510 | \$0.000510 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000051 | \$0.000051 | \$0.000051 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001331</u> | <u>\$0.001331</u> | <u>\$0.000557</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001493 | \$0.001493 | \$0.000598 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000510 | \$0.000510 | \$0.000510 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000057 | \$0.000057 | \$0.000057 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001337</u> | <u>\$0.001337</u> | <u>\$0.000563</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001527 | \$0.001527 | \$0.000611 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000056 | \$0.000056 | \$0.000056 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001346</u> | <u>\$0.001346</u> | <u>\$0.000572</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001532 | \$0.001532 | \$0.000613 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000068 | \$0.000068 | \$0.000068 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001358</u> | <u>\$0.001358</u> | <u>\$0.000584</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001562 | \$0.001562 | \$0.000626 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000076 | \$0.000076 | \$0.000076 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001366</u> | <u>\$0.001366</u> | <u>\$0.000592</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001548 | \$0.001548 | \$0.000619 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000520 | \$0.000520 | \$0.000520 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000079 | \$0.000079 | \$0.000079 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001369</u> | <u>\$0.001369</u> | <u>\$0.000595</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001587 | \$0.001587 | \$0.000635 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000530 | \$0.000530 | \$0.000530 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000093 | \$0.000093 | \$0.000093 |
| E) System Performance Adjustment | <u>\$0.000774</u> | <u>\$0.000774</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.001393</u> | <u>\$0.001393</u> | <u>\$0.000619</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001625 | \$0.001625 | \$0.000650 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000115 | \$0.000115 | \$0.000115 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002148</u> | <u>\$0.002148</u> | <u>\$0.000651</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3, 7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001625 | \$0.001625 | \$0.000650 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000107 | \$0.000107 | \$0.000107 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002140</u> | <u>\$0.002140</u> | <u>\$0.000643</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001602 | \$0.001602 | \$0.000641 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000004) | (\$0.000004) | (\$0.000004) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000086 | \$0.000086 | \$0.000086 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002119</u> | <u>\$0.002119</u> | <u>\$0.000622</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001631 | \$0.001631 | \$0.000653 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000006) | (\$0.000006) | (\$0.000006) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000073 | \$0.000073 | \$0.000073 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002104</u> | <u>\$0.002104</u> | <u>\$0.000607</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001666 | \$0.001666 | \$0.000667 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000006) | (\$0.000006) | (\$0.000006) |
| B) Research and Development Surcharge | \$0.000540 | \$0.000540 | \$0.000540 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000073 | \$0.000073 | \$0.000073 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002104</u> | <u>\$0.002104</u> | <u>\$0.000607</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001702 | \$0.001702 | \$0.000682 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000550 | \$0.000550 | \$0.000550 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000072 | \$0.000072 | \$0.000072 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002112</u> | <u>\$0.002112</u> | <u>\$0.000615</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001743 | \$0.001743 | \$0.000696 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000560 | \$0.000560 | \$0.000560 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000073 | \$0.000073 | \$0.000073 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002123</u> | <u>\$0.002123</u> | <u>\$0.000626</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001875 | \$0.001875 | \$0.000750 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000570 | \$0.000570 | \$0.000570 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000074 | \$0.000074 | \$0.000074 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002134</u> | <u>\$0.002134</u> | <u>\$0.000637</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001867 | \$0.001867 | \$0.000747 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000570 | \$0.000570 | \$0.000570 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000069 | \$0.000069 | \$0.000069 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002129</u> | <u>\$0.002129</u> | <u>\$0.000632</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001914 | \$0.001914 | \$0.000766 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000570 | \$0.000570 | \$0.000570 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000072 | \$0.000072 | \$0.000072 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002132</u> | <u>\$0.002132</u> | <u>\$0.000635</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.001996 | \$0.001996 | \$0.000799 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000580 | \$0.000580 | \$0.000580 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000076 | \$0.000076 | \$0.000076 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002146</u> | <u>\$0.002146</u> | <u>\$0.000649</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002047 | \$0.002047 | \$0.000819 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000590 | \$0.000590 | \$0.000590 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000093 | \$0.000093 | \$0.000093 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002173</u> | <u>\$0.002173</u> | <u>\$0.000676</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002086 | \$0.002086 | \$0.000834 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | \$0.000076 | \$0.000076 | \$0.000076 |
| E) System Performance Adjustment | <u>\$0.001497</u> | <u>\$0.001497</u> | <u>\$0.000000</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.002166</u> | <u>\$0.002166</u> | <u>\$0.000669</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002090 | \$0.002090 | \$0.000836 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000075</u> | <u>\$0.000075</u> | <u>\$0.000075</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000668</u> | <u>\$0.000668</u> | <u>\$0.000668</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002121 | \$0.002121 | \$0.000848 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000007) | (\$0.000007) | (\$0.000007) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000063</u> | <u>\$0.000063</u> | <u>\$0.000063</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000656</u> | <u>\$0.000656</u> | <u>\$0.000656</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002157 | \$0.002157 | \$0.000862 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000048</u> | <u>\$0.000048</u> | <u>\$0.000048</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000640</u> | <u>\$0.000640</u> | <u>\$0.000640</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers**</u> |
|--|---|--|--------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002194 | \$0.002194 | \$0.000878 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000051</u> | <u>\$0.000051</u> | <u>\$0.000051</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000653</u> | <u>\$0.000653</u> | <u>\$0.000653</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 ,7 and 10 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> | <u>SC#10 Customers* *</u> |
|--|---|--|---------------------------|
| <u>Charge for Daily Balancing</u> | \$0.002225 | \$0.002225 | \$0.000889 |
| <u>Other Costs:</u> | | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000054</u> | <u>\$0.000054</u> | <u>\$0.000054</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000656</u> | <u>\$0.000656</u> | <u>\$0.000656</u> |

PSC No. 16 Gas
Rochester Gas and Electric Corporation
Initial Effective Date: July 1, 2017

LTSR
Statement No.162

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002244 | \$0.002244 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000056</u> | <u>\$0.000056</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000658</u> | <u>\$0.000658</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002218 | \$0.002218 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000081</u> | <u>\$0.000081</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000683</u> | <u>\$0.000683</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002305 | \$0.002305 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000086</u> | <u>\$0.000086</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000698</u> | <u>\$0.000698</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002249 | \$0.002249 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000081</u> | <u>\$0.000081</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000693</u> | <u>\$0.000693</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002268 | \$0.002268 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000070</u> | <u>\$0.000070</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000682</u> | <u>\$0.000682</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002347 | \$0.002347 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000630 | \$0.000630 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000079</u> | <u>\$0.000079</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000701</u> | <u>\$0.000701</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.002333 | \$0.002333 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000008) | (\$0.000008) |
| B) Research and Development Surcharge | \$0.000630 | \$0.000630 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000078</u> | <u>\$0.000078</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000700</u> | <u>\$0.000700</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | <u>\$0.002320</u> | <u>\$0.002320</u> |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000029) | (\$0.000029) |
| B) Research and Development Surcharge | \$0.000630 | \$0.000630 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000067</u> | <u>\$0.000067</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000668</u> | <u>\$0.000668</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004408 | \$0.004408 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000029) | (\$0.000029) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000053</u> | <u>\$0.000053</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000644</u> | <u>\$0.000644</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004408 | \$0.004408 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000029) | (\$0.000029) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000053</u> | <u>\$0.000053</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000644</u> | <u>\$0.000644</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004389 | \$0.004389 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000029) | (\$0.000029) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000031</u> | <u>\$0.000031</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000622</u> | <u>\$0.000622</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004352 | \$0.004352 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000029) | (\$0.000029) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000042</u> | <u>\$0.000042</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000633</u> | <u>\$0.000633</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004312 | \$0.004312 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000045</u> | <u>\$0.000045</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000637</u> | <u>\$0.000637</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004339 | \$0.004339 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000058</u> | <u>\$0.000058</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000640</u> | <u>\$0.000640</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004259 | \$0.004259 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000043</u> | <u>\$0.000043</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000625</u> | <u>\$0.000625</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004136 | \$0.004136 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000039</u> | <u>\$0.000039</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000611</u> | <u>\$0.000611</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004135 | \$0.004135 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000610 | \$0.000610 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000042</u> | <u>\$0.000042</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000624</u> | <u>\$0.000624</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004221 | \$0.004221 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000620 | \$0.000620 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000053</u> | <u>\$0.000053</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000645</u> | <u>\$0.000645</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas

(Issued under Authority of 16 NYCRR 720-6.5)

Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004086 | \$0.004086 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000062</u> | <u>\$0.000062</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000634</u> | <u>\$0.000634</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004027 | \$0.004027 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000068</u> | <u>\$0.000068</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000640</u> | <u>\$0.000640</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.003999 | \$0.003999 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000080</u> | <u>\$0.000080</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000652</u> | <u>\$0.000652</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is \geq 35,000 therms
of PSC No. 16 - Gas
(Issued under Authority of 16 NYCRR 720-6.5)
Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | \$0.004014 | \$0.004014 |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000028) | (\$0.000028) |
| B) Research and Development Surcharge | \$0.000600 | \$0.000600 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000069</u> | <u>\$0.000069</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000641</u> | <u>\$0.000641</u> |

Large Transportation Service Rate Adjustment Statement

Applicable to Service Classification No. 3 and 7 whose annual usage is >= 35,000 therms
 of PSC No. 16 - Gas
 (Issued under Authority of 16 NYCRR 720-6.5)
 Per Therm Unless otherwise Noted

| | <u>SC#3 customers</u> <u>pre 11/1/96</u> | <u>SC#3 customers</u> <u>post 11/1/96</u> |
|--|---|--|
| <u>Charge for Daily Balancing</u> | <u>\$0.004014</u> | <u>\$0.004014</u> |
| <u>Other Costs:</u> | | |
| A) Inter-Departmental Sales Credit | (\$0.000023) | (\$0.000023) |
| B) Research and Development Surcharge | \$0.000590 | \$0.000590 |
| C) PSC Transition Cost Surcharge | \$0.000000 | \$0.000000 |
| D) Mendon Gate Station Heater Fuel Costs | <u>\$0.000052</u> | <u>\$0.000052</u> |
| <u>Total Other Costs (\$/therm at customer meter)</u> | <u>\$0.000619</u> | <u>\$0.000619</u> |